

FORM PTO-1390 (REV 12-29-99)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER AB-1006 US
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371			U.S. APPLICATION NO. (If known, see 37 CFR 1.5) 09/581776
INTERNATIONAL APPLICATION NO. PCT/SE98/02360	INTERNATIONAL FILING DATE 17 December 1998	PRIORITY DATE CLAIMED 18 December 1997	
TITLE OF INVENTION METHOD AND APPARATUS FOR SWITCHING DATA			
APPLICANT(S) FOR DO/EO/US CHRISTER BOHM, ANDERS BOSTROM, ELLING DISEN, LUKAS HOLM, PER LINDGREN AND MARTIN ZACHRISON			
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:			
<ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 3. <input type="checkbox"/> This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1). 4. <input checked="" type="checkbox"/> A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. 5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2)) <ol style="list-style-type: none"> a. <input type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau). b. <input checked="" type="checkbox"/> has been transmitted by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US). 6. <input type="checkbox"/> A translation of the International Application into English (35 U.S.C. 371(c)(2)). 7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) <ol style="list-style-type: none"> a. <input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau). b. <input type="checkbox"/> have been transmitted by the International Bureau. c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. d. <input checked="" type="checkbox"/> have not been made and will not be made. 8. <input type="checkbox"/> A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). 9. <input type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. <input type="checkbox"/> A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). 			
Items 11. to 16. below concern document(s) or information included:			
<ol style="list-style-type: none"> 11. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 13. <input checked="" type="checkbox"/> A FIRST preliminary amendment. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment. 14. <input type="checkbox"/> A substitute specification. 15. <input type="checkbox"/> A change of power of attorney and/or address letter. 16. <input checked="" type="checkbox"/> Other items or information: 			
PTO Form 1449			

FORM PTO-1390
(REV 12-29-99)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

AB-1006 US

TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371

U.S. APPLICATION NO. (If known - see 37 CFR 1.5)

09/581776

INTERNATIONAL APPLICATION NO.
PCT/SE98/02360INTERNATIONAL FILING DATE
17 December 1998PRIORITY DATE CLAIMED
18 December 1997TITLE OF INVENTION **METHOD AND APPARATUS FOR SWITCHING DATA**APPLICANT(S) FOR DO/EO/US **CHRISTER BOHM, ANDERS BOSTROM, ELLING DISEN, LUKAS HOLM,
PER LINDGREN AND MARTIN ZACHRISON**

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☐ This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. ☒ A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
5. ☒ A copy of the International Application as filed (35 U.S.C. 371(c)(2))
 - a. ☐ is transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☒ has been transmitted by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☐ A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
 - a. ☐ are transmitted herewith (required only if not transmitted by the International Bureau).
 - b. ☐ have been transmitted by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☒ have not been made and will not be made.
8. ☐ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☐ An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
10. ☐ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11. to 16. below concern document(s) or information included:

11. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
13. ☒ A **FIRST** preliminary amendment.
☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
14. ☐ A substitute specification.
15. ☐ A change of power of attorney and/or address letter.
16. ☒ Other items or information:

PTO Form 1449

Form PTO-1390 (REV 12-29-99) page 2 of 2

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Christer Bohm, Anders Boström, Elling Disen, Lukas Holm, Per Lindgren, and Martin Zachrisson
Assignee: Net Insight AB
Title: METHOD AND APPARATUS FOR SWITCHING DATA
Serial No.: International December 17, 1998
Filing Date:
Examiner: Unknown Group Art Unit:
Docket No.: AB-1006 US

Box PCT
COMMISSIONER FOR PATENTS
Washington, D. C. 20231

**VERIFIED STATEMENT CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(F) & 1.27(C)) -- SMALL BUSINESS CONCERN**

Dear Sir:

I declare that I am an official empowered to act on behalf of the concern identified above as assignee.

Exclusive rights to the above invention as described in

☐ the specification filed herewith,

☒ U.S. patent application Serial No. 09/581,776, filed December 17, 1998

have been conveyed to and remain with the above concern.

For purposes of paying reduced fees under Section 41 of Title 35 of the United States Code with regard to this invention, I declare that the above concern qualifies as a small business concern as defined in 37 CFR 1.9(d) and 13 CFR 121, and more particularly 13 CFR 121.802, namely, (a) the concern's number of employees, including those of its affiliates, does not exceed 500 persons, and (b) the concern has not assigned, granted, conveyed, or licensed, and is under no obligation to assign, grant, convey, or license, any rights in the invention to any person who made it and could not be classified as an independent inventor under 37 CFR

LAW OFFICES OF
SKJERVEN, MORRILL,
MACPHERSON, FRANKLIN
& FRIEL LLP

25 METRO DRIVE
SUITE 700
SAN JOSE, CA 95110
(408) 453-9200
FAX (408) 453-7979

1.9(c), or to any concern which would not qualify as a nonprofit organization under 37 CFR 1.9(e) or a small business concern under 37 CFR 121.802.

I acknowledge my duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate per 37 CFR 1.28(b).

I declare that all statements made herein of my own knowledge are true, all statements made herein on information and belief are believed to be true, and all statements made herein are made with the knowledge that whoever, in any matter within the jurisdiction of the Patent and Trademark Office, knowingly and willfully falsifies, conceals, or covers up by any trick, scheme, or device a material fact, or makes any false, fictitious or fraudulent statements or representations, or makes or uses any false writing or document knowing the same to contain any false, fictitious or fraudulent statement or entry, shall be subject to the penalties including fine or imprisonment or both as set forth under 18 U.S.C. 1001, and that violations of this paragraph may jeopardize the validity of the application or this document, or the validity or enforceability of any patent, trademark registration, or certificate resulting therefrom.

Signature:

Bengt Olsson

Date:

2000-09-11

Official's Name:

Bengt Olsson

Official's Title:

CEO

Concern's Name:

NET INSIGHT AB

Concern's Address:

Västberga Allé 9
SE-126 30 Hägersten
Sweden

LAW OFFICES OF
SKJERVEN, MORRILL,
MACPHERSON, FRANKLIN
& FRIEL LLP

25 METRO DRIVE
SUITE 700
SAN JOSE, CA 95110
(408) 453-9200
FAX (408) 453-7979

09/581776
428 PCT/PTO 16 JUN 2000
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Christer Bohm, Anders Boström, Elling Disen, Lukas Holm, Per Lindgren, and Martin Zachrisson
Assignee: Net Insight AB
Title: METHOD AND APPARATUS FOR SWITCHING DATA
Serial No.: Unknown International December 17, 1998
Filing Date:
Examiner: Unknown Group Art Unit: Unknown
Docket No.: AB-1006 US

San Jose, California
June 16, 2000

BOX PCT
ASSISTANT COMMISSIONER FOR PATENTS
Washington, D. C. 20231

PRELIMINARY AMENDMENT

Dear Sir:

Prior to the calculation of the fees, please amend the above application as follows:

IN THE CLAIMS

4. (Amended) A method as claimed in claim 1 [any one of the preceding claims], wherein said identifier identifies a channel, which is to be switched from said first bitstream to said second and said third bitstream and which said data refers to, and wherein said selecting step comprises selecting a time slot of said second bitstream and a time slot of said third bitstream based upon the channel information provided by said identifier.

6. (Amended) A method as claimed in claim 1 [any one of the preceding claims], wherein said network is a DTM network.

7. (Amended) An apparatus for switching data between bitstreams of a circuit switched synchronous time division multiplexing network, comprising:

associating means [(240, 242; 440, 442)] for tagging data read from a time slot of a first bitstream of said bitstreams with an identifier; and

LAW OFFICES OF
SKJERVEN, MORRILL,
MACPHERSON, FRANKLIN
& FRIEL LLP

25 METRO DRIVE
SUITE 700
SAN JOSE, CA 95110
(408) 453-9200
FAX (408) 453-7979

selecting means [(250, 251; 450, 451; 550)] for selecting, for each one of at least a second and a third bitstream of said bitstreams, into which respective time slot thereof to transmit said data based upon said identifier.

8. (Amended) An apparatus as claimed in claim 7, wherein said associating means are provided at an port [(225; 425)] of said switch, said port receiving said first bitstream.

9. (Amended) An apparatus as claimed in claim 7 [or 8], wherein said selecting means are provided at a second port [(230; 430)] transmitting said second bitstream and at a third port [(231; 431)] transmitting said third bitstream.

10. (Amended) An apparatus as claimed in claim 7 [any one of claims 7-9], wherein said data and said identifier are transferred within said apparatus using time slots of a switch internal bitstream [(470)].

11. (Amended) An apparatus as claimed in claim 7 [any one of claims 7-10], wherein said identifier identifies an isochronous channel, which is to be switched from said first bitstream to said second and said third bitstream and which said data refers to, and wherein said selecting means are arranged to select a time slot of said second bitstream and a time slot of said third bitstream based upon the channel information provided by said identifier.

12. (Amended) An apparatus as claimed in claim 7 [any one of claims 7-11], wherein said network is a DTM network.

REMARKS

Claims 1-12 are pending. Claims 4, 6, 9, 10, 11, and 12 have been amended to remove multiple dependencies. Thus, no charge for multiple dependent claims should be made in calculating the filing fee. Claims 7, 8, 9, and 10 have been amended to remove reference numerals in parenthesis. Entry of this Preliminary Amendment is respectfully requested.

EXPRESS MAIL LABEL NO:

EL030412929US

Respectfully submitted,

Michael Shenker
Reg No. 34250
for Alan MacPherson
Alan H. MacPherson
Attorney for Applicants
Reg. No. 24,423

LAW OFFICES OF
SKJERVEN, MORRILL,
MACPHERSON, FRANKLIN
& FRIEL LLP

25 METRO DRIVE
SUITE 700
SAN JOSE, CA 95110
(408) 453-9200
FAX (408) 453-7979

METHOD AND APPARATUS FOR SWITCHING DATATechnical field of the invention

The present invention refers to a method and an apparatus for switching data between bitstreams of a circuit switched synchronous time division multiplexing network.

Technical Background and Prior Art

Today, new types of circuit-switched communication networks are being developed for the transfer of information using synchronous or isochronous, time division multiplexed bitstreams, wherein a bitstream is divided into cycles, each cycle in turn being divided into time slots.

An example of such a network is described in "The DTM Gigabit Network", Christer Bohm, Per Lindgren, Lars Ramfelt, and Peter Sjödin, Journal of High Speed Networks, 3(2):109-126, 1994, and in "Multi-gigabit networking based on DTM", Lars Gauffin, Lars Håkansson, and Björn Pehrson, Computer networks and ISDN Systems, 24(2), 119-139, April 1992.

In such a network, so called switches, each connected to one or more bitstreams, or fibers, are used to switch time slot data between different bitstreams. For example, if a channel is defined between a first and a second apparatus attached to a first and a second, respectively, bitstream carrying fiber, said channel comprising a first set of time slots on a bitstream propagating on the first fiber and a second set of slots on a bitstream propagating on the second fiber, a switch is then used to transfer or copy time slot data from time slots of the first set of slots to time slots of the second set of slots.

According to prior art, switches in synchronous time division multiplexed networks use a control memory that maps each incoming slot number to the outgoing slot number. Such mapping may involve both a mapping in the time domain, i.e. control of the order in which time slot

data are written into each bitstream, and a mapping in the space domain, i.e. controlling which time slot data goes to which bitstream. For example, so called time-space-time (TST) switches are described in "Data and
5 Computer Communications", 4th ed., by Williams Stallings, Macmillan Publishing Company. However, prior art switches all show limitation as to the possibilities of switching time slots in space and time. Also, prior art switches show limitations as to switching speed and capacity,
10 especially in the context of switching data from one bitstream to two or more bitstreams, i.e. in the context of space multicasting or broadcasting.

Objects of the invention

15 An object of the invention is therefore to provide a switch, which provides greater freedom as to the possibilities of switching time slots in space and time, at the same time increasing switching speed and capacity.

Summary of the invention

The above mentioned and other objects are achieved by the invention as defined in the accompanying claims.

According to the invention, there is provided a method and an apparatus for switching data between bit-
25 streams of a circuit switched synchronous time division multiplexing network. Data read from a time slot of a first bitstream of said bitstreams is tagged with an identifier. For each one of at least a second and a third bitstream of said bitstreams it is then selected into
30 which respective time slot thereof to transmit said data based upon said identifier.

The invention is based upon the idea of tagging, in a space multicasting or broadcasting scenario, incoming time slot data with a tag, forming said identifier, for
35 example in the form of a virtual tag number, which is then used at at least to output ports in the decision as to which time slot position of the respective output

bitstream that said time slot data shall be transmitted into. Incoming slots are thus sent to the outgoing ports from the input port without any direct specification of what slots to use on the outgoing links. Hence, the
5 decision as to which slots to use on the outgoing links for the time slot data is thus made at the output ports and not at the input port. As is understood, said identifier will generally not be the actual slot number to which the data slot is supposed to be written.

10 An advantage of the invention is that the input ports of a switch according to the invention does not have to perform the decision as to which slot goes where, i.e. does not have to tag said time slot data with different slot addresses for different ports. The input port
15 merely provides the time slot data with an identifier, e.g. said virtual tag number. The time slot data, along with said identifier, is then sent to the output ports, either using a shared resource or private links, where the actual decisions as to write the time slot data into
20 an outgoing time slot are made. Thus, several output ports will make their decisions based upon the same identifier. This feature is very beneficial in space multicasting or broadcasting.

The information as to which identifiers that are to
25 be used for which time slots and how the respective time slots are to be switched is provided by a node controller, which performs control signaling with the outside network and which will make the necessary allocations and provide the necessary instructions at channel set-up,
30 modification and termination.

In one embodiment, incoming time slot data is provided to each output port, thus letting each output port make a decision for each received time slot data as to whether or not said time slot data is supposed to be
35 transmitted to the respective bitstream. In this embodiment, the transfer of time slot data from input port to output port comprises no intermediate decision-making,

however there is required a larger decision-making capacity at each output port.

In an alternative embodiment, the decision-making is divided into subselections, comprising first selecting
5 which ones (one or more) of the output bitstreams that said time slot data is to be transferred to, for example also based upon said an identifier, and then selecting, for each one of the first selected bitstreams, a respective time slot for said time slot data to be written
10 into, based upon said identifier. This embodiment requires that further decision-making schemes are provided, but also puts a lesser demand on the decision-making capacity at the respective output port.

It shall be understood that space multicasting
15 according to the invention, i.e. the switching of time slot data from at least one input port to at least two output ports, may involve the selection of different single output ports for different input time slots, the selection of more than one output port for an input time
20 slot as well as the selection of all output ports for said input time slot (broadcasting).

According to an embodiment of the invention, which is preferably used in the case when one or more copies of time slot data from a specific input time slot has to be
25 provided within the node, all copies of the time slot data is tagged with the same tag number, forming said identifier. Hence, one single tag number will be used for an input time slot, independently of how many copies of the time slot data therefrom that are provided within the
30 switch.

The time slot data, along with the identifier tagged thereto, may be transferred within the node using private links, shared multiplexed links, or the like. For
example, said time slot data and said identifier may be
35 transferred within said node using time slots of an internal bitstream.

According to an alternative embodiment of the invention, in a situation where an isochronous channel has been established on said bitstreams, data from time slots of the input bitstream belonging to the same channel are tagged with the same identifier, e.g. the same virtual tag number. Said identifier is then used at output ports for mapping said time slot data to one of the time slots allocated to the channel on the respective outgoing links. Which time slot that the data is mapped to depends on which time slot passing the node next that has not yet been filled with switched data. In this embodiment one advantage is that the timing requirements between the incoming and the outgoing channels are relaxed, since it needs not be determined which specific incoming slot number that is mapped to which specific outgoing slot number at channel set-up. In many applications, it is important, though, to make sure that the time slot data from time slots of said first set of time slots are written into time slots of said second set of time slots in maintained mutual order.

In another embodiment, each incoming time slot to be switched by the node is tagged with a unique identifier, said identifier being translated directly into a physical slot number at the output port, for example using an identifier-to-slot mapper, said physical slot number being determined at channel set-up.

According to the invention, said read time slot data may be transferred within said node using allocated time slots of an internal bitstream. Such an internal bitstream simplifies the internal handling of the time slot data in the node. For example, when data is multicasted from one input port to several output ports, there is no need to make copies of the data to be switched since it will be transferred to all parts of the node having connections with the other bitstreams. As is also understood, the term internal bitstream does not necessarily mean that the bitstream or the bitstream carrying medium

must reside physically inside a switch circuit or the like, but may be arranged peripheral to the circuit, however still being used for the transfer of data between different ports of the switch.

5 The invention is especially advantageous in multi-channel circuit switched networks providing multicasting support and wherein channels are of arbitrary size, such as a DTM network of the kind mentioned above. However, the invention is not restricted to, for example, DTM
10 networks but can be used in any circuit switched synchronous time division multiplexed network.

 The present application corresponds to one three Swedish patent applications, SE 9704738-5, SE 9704739-3, and SE 9704740-1, which were filed on the same day and
15 which refer to related inventive ideas, the descriptions thereof being incorporated by reference.

 The above mentioned and other aspects and features of the invention will be more fully understood from the following description, with reference to the accompanying
20 drawings, of exemplifying embodiments thereof.

Brief description of the drawings

 Exemplifying embodiments of the invention will be described below with reference to the accompanying
25 drawings, wherein:

 Fig. 1 schematically shows a switch according to a first embodiment of the invention;

 Fig. 2 schematically shows a switch according to a second embodiment of the invention; and

30 Fig. 3 shows an example of the internal structure of selection means included in a switch according to an embodiment of the present invention.

Detailed description of preferred embodiments

35 An exemplifying switch according to a first embodiment of the invention will now be described with reference to Fig. 1, wherein a switch 210 is connected to

three unidirectional optical fibers 214, 219 and 222 transferring a first bitstream 215, a second bitstream 220, and a third bitstream 223, respectively. As indicated in Fig. 2, each of the bitstreams is divided into cycles, and each of said cycles is divided into time slots, each for example comprising 64 bits.

The switch is by means of a switch node controller (SNC) 235 configured to switch data from time slots of the frame transferred by the first bitstream to time slots of one or both of the frames transferred by the second and the third bitstream. At set-up of a channel through the switch node, the controller 235 is informed of which time slot positions in the first bitstream and which time slot positions in the second and/or third bitstream that are allocated to the channel. The controller 235 is connected to a tagging table 240 and to selection means 250, 251, which will be further described below, as illustrated by dotted lines in Fig. 1. Tagging means 242 are included in the switch in order to tag data that is to be switched by the switch.

The switch 210 includes a first port 225 for reading time slot data from time slots of said first bitstream. The first port 225 includes a medium access unit, a bit clock, a slot counter and a frame clock (neither of which is shown in Fig. 1). The medium access unit enables the switch to read data from the time slots that are being transferred by the first bitstream. The bit clock is synchronized to the bitrate of bitstream 215 transferred by the fiber 214 and used as input to the slot counter. The slot counter counts the number of slots transferred by the fiber 214 and is cyclically restarted by the frame clock at the start of each new cycle.

The tagging table 240 stores identifiers, also referred to as tag numbers or "tags". The information in the tagging table 240 is either fixed, that is a certain entry always provides a certain tag number, or controlled by the controller 235, which then stores information in

the tagging table 240 at channel set-up. In the latter case the tag number provided at an entry of the tagging table 240 is dependent upon which channel the respective time slot of the first bitstream is allocated to. The tag number may in this case be chosen to comprise information relating to the identification of said channel. Each time slot in the first bitstream read by the first port has a corresponding entry in said table, and each entry that represents a time slot carrying data to be switched by the switch 240 is set to provide a respective tag number.

In Fig. 1, only seven entries, corresponding to cycles with seven time slots, have been indicated in the tagging table 240. However, a cycle in a bitstream may in practice contain a far greater number of slots and, thus, the table a far greater number of corresponding entries. The empty entries of the table, in this case the entries corresponding to time slot positions 4 and 6, indicate that data transferred in the corresponding time slots are not to be switched by the switch.

The count of the slot counter included in the first port 225 is used to address entries in the tagging table 240. The information provided at each entry, and thus being associated with each respective cyclically occurring time slot position, is outputted from the table 240 and transferred to tagging means 242. For each time slot read by the port 225, received data is transferred to the tagging means 242. Said tagging means will then tag the tag number derived via the tagging table 240 to said data. If no tag number is provided by the tagging table, as a result of the fact that data from the associated time slot is not to be switched through the switch, said data is for example discarded at the tagging means 242. The tagged data is then transferred further down the switch to be received in connection with other parts of the switch that are used to access external bitstreams.

The switch 210 further comprises selection means 250 and 251, for example of the kind to be described below

with reference to Fig. 3, which are arranged to receive the tagged data and to select a time slot position in the cycle of the second bitstream 220 and/or a time slot position in the cycle of the third bitstream 223 based upon the received tag number. Whether or not said data is transmitted into one or both of said second and third bitstreams will depend upon whether or not the switched channel is to be space multicasted (or broadcasted). The selected positions, which corresponds to one of the time slots allocated on the second bitstream and, in case of multicasting, one of the time slots allocated on the third bitstream, will be used for addressing respective frame buffers 260, 261, each frame buffer being used to temporarily store an entire frame of time slot data prior to output thereof. Upon addressing the frame buffer, said data that has been received from the tagging means 242, either directly or via the selection means, will be stored at the respective address location selected by the respective selection means 250, 251.

The switch node furthermore comprises a second and a third port 230, 231 for writing data to time slots of said second and third bitstream, respectively. Since these ports have a similar design and functionality as port 225, further description thereof is omitted.

Another switch according to a second embodiment of the invention will now be described with reference to Fig. 2. In similar to the embodiment described with reference to Fig. 1, the switch 410 in Fig. 2 is also connected to three unidirectional optical fibers 414, 419 and 422 transferring a first bitstream 415, second bitstream 420, and a third bitstream 423, respectively. The switch 410 also includes a first port 425, a second port 430, a third port 431, a switch node controller 435, a tagging table 440, tagging means 442, and selection means 450, 451, which are of similar design and functionality as the components that have been described above with reference to Fig. 1.

In the embodiment of Fig. 2, the switch 410 comprises a medium on which a switch internal bitstream 470 propagates. The internal bitstream, which is divided into cycles that in turn are divided into time slots, is used
5 for transferring time slot data between the ports of the switch 410.

Having received data from a time slot of the first bitstream via port 425 and an associated tag from the tagging table 440, the tagging means 442 will tag said
10 data with the tag number and transmit the tagged data into one or more time slots of the internal bitstream. In this embodiment, the tag is concatenated with the slot data and stored in the same time slot of the internal bitstream as said data. However, in an alternative
15 embodiment, the tag may be transferred by one or more predefined allocated time slots in said internal bitstream while the slot data is transferred by another allocated time slot of the internal bitstream.

In connection with the output port 430 that is used
20 as access to the second bitstream 420, internal bitstream access means 445 will read said tag, as well as the time slot data onto which the tag is tagged, from time slots of the internal bitstream. The tag is then forwarded to selection means 450, which will, based upon the received
25 tag number, and if configured to make a selection for that specific tag number, select a time slot position of a time slot in the second bitstream. The selection means will use the position number to address a corresponding entry of the frame buffer 460. The time slot data onto
30 which said tag was tagged will then be forwarded from the internal bitstream access means 445 and stored in the frame buffer at said entry for subsequent output on bitstream 420.

Correspondingly, in connection with the output port
35 431 that is used as access to the third bitstream 423, internal bitstream access means 446 will read said tag, as well as the time slot data onto which the tag is

tagged, from time slots of the internal bitstream. The tag number is then forwarded to selection means 451, which will, based thereupon, and if configured to make a selection for that specific tag number, select a time slot position of a time slot in the third bitstream 423. The selection means 451 will use the position number to address a corresponding entry of the frame buffer 461. The time slot data onto which said tag was tagged will then be forwarded from the internal bitstream access means 446 and stored in frame buffer 461 at said entry for subsequent output on bitstream 423 via port 431.

An example of selection means according to an embodiment of the present invention will now be described with reference to Fig. 3, which for example may be any one or more of the selection means 250, 251, 450, and 451 shown in Figs. 1 and 2. The selection means 550 in Fig. 3 is basically formed by a tag-to-slot table 540. The tag-to-slot table has entries that are addressed by a tag number that typically has been previously tagged to the time slot data read from an input bitstream. Each entry of the tag-to-slot table provides a respective time slot position in the bitstream connected to the output port to which the selection means belongs, with the exemption of entries of tag numbers that are tagged to data that are not to be transmitted by the respective bitstream. The information in the tag-to-slot table is either fixed, that is a certain entry always provides a certain time slot position, or is controlled by a controller that stores information in the tag-to-slot table at channel set-up. According to the invention, if a tag number is associated with data that are to be space multicasted or broadcasted through the switch, selection means at different output ports have tag-to-slot tables configured to select time slot positions in the bitstreams connected to respective output ports as a response to the same tag number.

As is understood, the description above of exemplifying embodiments of the invention has been made in order to provide a better understanding thereof. Of course, an actual switch will incorporate elements not shown in the figures, and may also be realized using other components than the ones specifically described herein. For example, at different locations in the switch, further frame buffers, multiplexing means, and the like, may be provided to facilitate the desired operation.

As is understood by those skilled in the art, even though the invention has been described with reference to exemplifying embodiments thereof, different alterations and combinations may be made thereof within the scope of the invention, which is defined by the accompanying claims.

CLAIMS

1. A method for switching data, in a switch, between
bitstreams of a circuit switched synchronous time divi-
5 sion multiplexing network, said method comprising the
steps of:

tagging data read from a time slot of a first bit-
stream of said bitstreams with an identifier; and

10 selecting, for each one of at least a second and a
third bitstream of said bitstreams, into which respective
time slot thereof to transmit said data based upon said
identifier.

2. A method as claimed in claim 1, comprising trans-
15 ferring said data and said identifier within said switch
using time slots of a switch internal bitstream.

3. A method as claimed in claim 2, wherein said data
is concatenated with said identifier.

20 4. A method as claimed in any one of the preceding
claims, wherein said identifier identifies a channel,
which is to be switched from said first bitstream to said
second and said third bitstream and which said data
25 refers to, and wherein said selecting step comprises
selecting a time slot of said second bitstream and a time
slot of said third bitstream based upon the channel
information provided by said identifier.

30 5. A method as claimed in claim 4, wherein said
selecting step comprises selecting the next available
time slot of said channel on the respective bitstream of
said second and third bitstreams.

35 6. A method as claimed in any one of the preceding
claims, wherein said network is a DTM network.

7. An apparatus for switching data between bit-streams of a circuit switched synchronous time division multiplexing network, comprising:

5 associating means (240, 242; 440, 442) for tagging data read from a time slot of a first bitstream of said bitstreams with an identifier; and

10 selecting means (250, 251; 450, 451; 550) for selecting, for each one of at least a second and a third bitstream of said bitstreams, into which respective time slot thereof to transmit said data based upon said identifier.

15 8. An apparatus as claimed in claim 7, wherein said associating means are provided at an port (225; 425) of said switch, said port receiving said first bitstream.

20 9. An apparatus as claimed in claim 7 or 8, wherein said selecting means are provided at a second port (230; 430) transmitting said second bitstream and at a third port (231; 431) transmitting said third bitstream.

25 10. An apparatus as claimed in any one of claims 7-9, wherein said data and said identifier are transferred within said apparatus using time slots of a switch internal bitstream (470).

30 11. An apparatus as claimed in any one of claims 7-10, wherein said identifier identifies an isochronous channel, which is to be switched from said first bitstream to said second and said third bitstream and which said data refers to, and wherein said selecting means are arranged to select a time slot of said second bitstream and a time slot of said third bitstream based upon the channel information provided by said identifier.

35 12. An apparatus as claimed in any one of claims 7-11, wherein said network is a DTM network.

1/3




Fig. 1

2/3





Fig. 2

3/3

**Fig. 3**



Please type a plus sign (+) inside this box → +

PTO/SB/02A (3-97)
Approved for use through 9/30/98. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

+

DECLARATION

ADDITIONAL INVENTOR(S)
Supplemental Sheet
Page 1 of 2

Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor											
Given Name (first and middle [if any])				Family Name or Surname											
<u>Anders</u>				<u>BOSTROM</u>											
Inventor's Signature					Date		11/4-06								
Residence: City		<u>Solna</u>		State		<u>SEX</u>		Country		<u>Sweden</u>		Citizenship		<u>SE</u>	
Post Office Address		<u>Master Simons vag 14</u>													
Post Office Address		<u>SE-170 66 Solna, Sweden</u>													
City				State				ZIP				Country			
Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor											
Given Name (first and middle [if any])				Family Name or Surname											
<u>Elling</u>				<u>DISEN</u>											
Inventor's Signature					Date										
Residence: City		<u>Stockholm</u>		State		<u>SEX</u>		Country		<u>Sweden</u>		Citizenship		<u>SE</u>	
Post Office Address		<u>c/o Williamsson, Svarvargatan 5</u>													
Post Office Address		<u>SE-112 49 Stockholm, Sweden</u>													
City				State				ZIP				Country			
Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor											
Given Name (first and middle [if any])				Family Name or Surname											
<u>Lukas</u>				<u>HOLM</u>											
Inventor's Signature					Date		2000-04-15								
Residence: City		<u>Stockholm</u>		State		<u>SEX</u>		Country		<u>Sweden</u>		Citizenship		<u>SE</u>	
Post Office Address		<u>S:t Paulsgatan 28A</u>													
Post Office Address		<u>SE-118 48 Stockholm, Sweden</u>													
City				State				ZIP				Country			

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

+

Please type a plus sign (+) inside this box → +

PTO/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

☐ Customer Number

OR

☒ Registered practitioner(s) name/registration number listed below

Place Customer Number Bar Code Label here

Name	Registration Number	Name	Registration Number
Alan H. MacPherson	24,423	Norman R. Klivans	33,003
Brian D. Ogonowsky	31,988	Edward C. Kwok	33,938
David W. Heid	25,875	David E. Steuber	25,557


☒ Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto.

Direct all correspondence to: ☐ Customer Number or Bar Code Label

OR ☒ Correspondence address below

Name	Alan H. MacPherson Skjerven, Morrill, MacPherson, Franklin & Friel LLP				
Address	25 Metro Drive, Suite 700				
Address					
City	San Jose	State	CA	ZIP	95110
Country	U.S.A.	Telephone	408 453-9200	Fax	408 453-7979

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:		<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])		Family Name or Surname			
Christer		BOHM			
Inventor's Signature				Date	7/9-00
Residence: City	Nacka	State	SE	Country	Sweden
				Citizenship	SE
Post Office Address	Skurusundsvagen 40				
Post Office Address	SE-131 46 Nacka, Sweden				
City		State		ZIP	
				Country	

☒ Additional inventors are being named on the 2 supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63)	Attorney Docket Number	AB-1006 US
	First Named Inventor	CHRISTER BOHM
	COMPLETE IF KNOWN	
	Application Number	09 / 581,776
	Filing Date	
	Group Art Unit	
<input type="checkbox"/> Declaration Submitted with Initial Filing	OR	<input checked="" type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)
Examiner Name		

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

METHOD AND APPARATUS FOR SWITCHING DATA

the specification of which (Title of the Invention)

☐ is attached hereto

OR

☒ was filed on (MM/DD/YYYY) **17 December 1998** as United States Application Number or PCT International Application Number **PCT/SE98/02360** and was amended on (MM/DD/YYYY) (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
9704740-1	Sweden	12/18/1997	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)

☐ Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → ☐

PTO/SB/02C (3-97)

Approved for use through 9/30/98 OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION

REGISTERED PRACTITIONER INFORMATION (Supplemental Sheet)

Name	Registration Number	Name	Registration Number
Michael Shenker	<u>34,250</u>	Theodore P. Lopez	<u>44,881</u>
Stephen A. Terrile	<u>32,946</u>	Mayankkumar M. Dixit	<u>44,064</u>
Peter H. Kang	<u>40,350</u>	Eric Stephenson	<u>38,321</u>
Ronald J. Meetin	<u>29,089</u>	Christopher Allenby	<u>45,906</u>
Ken John Koestner	<u>33,004</u>	David C. Hsia	<u>46,235</u>
Omkar K. Suryadevara	<u>36,320</u>	Mark J. Rozman	<u>42,117</u>
David T. Millers	<u>37,396</u>	Margaret M. Kelton	<u>44,182</u>
Michael P. Adams	<u>34,763</u>	Do Te Kim	<u>46,231</u>
Robert B. Morrill	<u>43,817</u>	Alex Chen	<u>45,591</u>
James E. Parsons	<u>34,691</u>	Monique M. Heyninck	<u>44,763</u>
Philip W. Woo	<u>39,880</u>	Gregory J. Michelson	<u>44,940</u>
Emily M. Haliday	<u>38,903</u>	Jonathan Geld	<u>44,702</u>
Tom Hunter	<u>38,498</u>	Emmanuel Rivera	<u>45,760</u>
Michael J. Halbert	<u>40,633</u>	Jason FarHadian	<u>42,523</u>
Gary J. Edwards	<u>41,008</u>	Matthew J. Spark	<u>43,453</u>
Daniel P. Stewart	<u>41,332</u>		
John T. Winburn	<u>26,822</u>		
Tom Chen	<u>42,406</u>		
Fabio E. Marino	<u>43,339</u>		
Don C. Lawrence	<u>31,975</u>		
Marc R. Ascolese	<u>42,268</u>		
Carmen C. Cook	<u>42,433</u>		
David G. Dolezal	<u>41,711</u>		
Roberta P. Saxon	<u>43,087</u>		
Mary Jo Bertani	<u>42,321</u>		
Dale R. Cook	<u>42,434</u>		
Sam G. Campbell	<u>42,381</u>		
Matthew J. Brigham	<u>44,047</u>		
Hugh H. Matsubayashi	<u>43,779</u>		
Patrick D. Benedicto	<u>40,909</u>		
T.J. Singh	<u>39,535</u>		
Shireen Irani Bacon	<u>40,494</u>		
Rory G. Bens	<u>44,028</u>		
George Wolken, Jr.	<u>30,441</u>		
John A. Odozynski	<u>28,769</u>		
Cameron K. Kerrigan	<u>44,826</u>		
Paul E. Lewkowicz	<u>44,870</u>		

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



Please type a plus sign (+) inside this box → ☐

PTO/SB/02A (3-97)
Approved for use through 9/30/98 OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

+

DECLARATION

ADDITIONAL INVENTOR(S)
Supplemental Sheet
Page 2 of 2

Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
<u>Per</u>				<u>LINDGREN</u>			
Inventor's Signature				Date	<u>11/9-00</u>		
Residence: City	<u>Stockholm</u>	State	<u>SEK</u>	Country	<u>Sweden</u>	Citizenship	<u>SE</u>
Post Office Address	<u>Maria Prastgardsgata 12, SE-118 52 Stockholm, Sweden</u>						
Post Office Address							
City		State		ZIP		Country	
Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
<u>Martin</u>				<u>ZACHRISON</u>			
Inventor's Signature				Date			
Residence: City	<u>Stockholm</u>	State	<u>SEK</u>	Country	<u>Sweden</u>	Citizenship	<u>SE</u>
Post Office Address	<u>Mariatorget 7, SE-118 48 Stockholm, Sweden</u>						
Post Office Address							
City		State		ZIP		Country	
Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Inventor's Signature				Date			
Residence: City		State		Country		Citizenship	
Post Office Address							
Post Office Address							
City		State		ZIP		Country	

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

+